

KLUDI RAK



Bathroom & Kitchen Fittings 2024

CONTENTS





PETRA	12 - 15
PROFILE STAR	16 - 21
PASSION	22 - 27
PRIME	28 - 33
PACIFIC	34 - 37
PROJECT	38 - 43
PEARL	44 - 47
POLARIS	48 - 55
PEAK	56 - 63
PIVOT	64 - 65
PREMIER X	66 - 71
SELF CLOSING	72 - 73
SINK MIXER	74 - 79
SHOWER	80 - 103
ACCESSORIES	104 - 125
STAINLESS STEEL FITTINGS	126 - 143

KLUDI RAK

KLUDI RAK is a limited liability company founded in 2007 as a joint venture between the high profile German bathroom and kitchen fittings manufacturer KLUDI and RAK Ceramics - one of the world's largest ceramic manufacturers.

KLUDI RAK is headquartered in the Emirate of Ras Al Khaimah and manufactures high quality bathroom fittings with timeless and modern design. Combined with the best German technology and quality ensuring processes, modern European machines and proven understanding of the local market, KLUDI RAK provides long lasting bathroom fittings - which satisfy many customers in the Middle East, South Asia and Africa. In order to constantly guarantee the high standards of our products, we use components that are carefully selected and sourced from well-established European suppliers. Additionally, every piece leaving our factory is controlled by very well trained, highly skilled and experienced employees to ensure a German quality standard.





in a production workshop in Germany. The idea evolved from KLUDI's core mission, to make every household innovative and add value to the lives of people in the community. KLUDI are the experts in bathroom and kitchen fittings and total bathroom solutions. With almost 100 years of experience in the design of fittings, the design experts blend shape and function to create a spectrum of precision-perfect products. KLUDI's

exclusive product portfolio of fittings is unique in design and conserves water & energy. Reputed for their aesthetic styles, functionality and sustainable features, KLUDI fittings continue to be a source of

inspiration even today.

The humble origins of a successful business conglomerate - KLUDI dates back to 1926, where the concept of quality and sustainable bath fittings

for the user's comfort and convenience took shape

To cater to the quality-conscious customers in the United Arab Emirates and the Middle East and their requirements for elegant and functional quality fittings, RAK Ceramics, the world's largest ceramic manufacturer in collaboration with KLUDI Germany, the world-leaders in mixers, showers and accessories established KLUDI RAK in the Emirate of Ras Al Khaimah.

Together with KLUDI RAK's 15 years of regional expertise, skilled craftsmen, a manufacturing unit equipped with advanced European technology and backed by KLUDI's 9 decades of expertise in kitchen and bath fittings, KLUDI RAK has all the strengths combined to design and manufacture premium water-efficient products that are durable and consistent in quality

KLUDI RAK fittings are the preferred product of choice for commercial, industrial, residential sectors and hospitality across UAE. Moreover are recommended by architects, interior decorators and project planners. KLUDI RAK is thus poised to offer top-notch kitchen and bathroom products to its valued customers in UAE and the Middle East.

UPHOLDING THE HERITAGE OF QUALITY SINCE

1926





















PERFECTING PRECISION FITTINGS THROUGH TECHNOLOGY

5 | 7



- 1 KLUDI RAK uses Brass as per European Drinking water standard.
- 2 KLUDI RAK maintains a 3-layer plating thickness of Semi bright Nickel, bright Nickel and Chrome - measuring minimum 12.3 microns
- 3 KLUDI RAK LONG LIFE TECHNOLOGY These special Ceramic cartridges have an effortless movement that fulfill the endurance tests under EN817 with 210,000 cycles without any damage
- 4 Plastic parts which are in accordance to KTW/W270, WRAS, KIWA and DVGW approvals
- The aerator innovative solutions for drinking water regulate flow rates and protect water from contamination and reduce water consumption
- The Flex Hose outer stainless steel braiding and the inside Pex Tube ensure hygiene safety conforming with DVGW KIWA/ CSTB/WRAS certificates



QUALITY REFLECTS IN EVERY DETAIL

Makers of beautifully crafted, high quality kitchen and bathroom products KLUDI RAK is a brand to reckon with. Strategically located in the Emirate of Ras Al Khaimah, KLUDI RAK upholds the brand promise by consistently delivering top-grade products to its loyal customers.

Accredited with various certifications for quality, conformity and promoting sustainability, the state-of-the-art manufacturing plant of KLUDI RAK integrates the latest European technical innovations in its development process, while adhering to sustainable practices by creating energy and water saving products, besides having superior quality raw materials procured from Europe to maintain consistency in the quality of the products at all times; ultimately, the finest range of bathroom and products are directly supplied from the KLUDI RAK factory across GCC, the Middle East, Africa and Indian subcontinent.



















SAVE WATER FOR FUTURE GENERATIONS



ADDED ADVANTAGES

- · Maximum lime resistance.
- Maximum lifespan.
- Perfect stream quality even under different flow conditions.
- · Very low noise level.
- Damage proof: unlike Conventional wire mesh screens, it can't be crushed.
- Integrated anti clogging dome screen -which filters sediments and particles.
- · Constant flow rate as per requirements can be achieved irrespective of input pressure.

75% SAVE UP TO OF TAP WATER











Water saver for public area Basin Mixer, Sink Mixer & Ablution Tap: ~1.4 L /min





70490298







Water saver for Basin Mixer, Sink Mixer & Ablution Tap: ~1.9 L / min.










Water saver for Hand Shower, Over Head Shower & Shataff ~3.8 L /min.









12 | KLUDI RAK




RAK37000-**

Single lever basin mixer DN 15 ceramic cartridge-K35 PCA aerator M 24 X 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European standard EN 817





Available Finishes






RAK37028

Single lever side basin mixer DN 15 Ceramic cartridge -K35 PCA aerator M 24 X 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European standard EN 817





Available Finishes






RAK37004

Single lever sink mixer DN 15 Ceramic cartridge - K35 swivelling (360) spout I = 180 mm PCA aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard EN 817





Available Finishes






RAK37001

Single lever bidet mixer DN 15 Ceramic cartridge - K35 ball joint PCA aerator M 18.5 X 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European standard EN 817





Available Finishes



RAK37002


Single lever bath and shower mixer DN 15 Ceramic cartridge -K35 without shower set PCA aerator M 24 X 1 flow class CB automatic diverter shower to bathtub shower connection 1/2 inch protected against back flow S-unions 1/2 x 3/4 inch European standard - EN 817







Available Finishes





RAK37003


Single lever shower mixer DN 15 Ceramic cartridge - K35 flow class B shower connection 1/2 inch protected against back flow S-unions 1/2 x 3/4 inch European standard - EN 817







Available Finishes











RAK37076

Concealed single lever Bath & Shower Mixer trim set

RAK38737 Pre-installation kit DN 15









Available Finishes

RAK37079

Concealed single lever shower mixer trim set

PROFILE STAR

PICTURE PERFECT MATCH FOR THE DISCERNING

The Profile star collection is a perfect match for your choice of style and convenience.

The KLUDI RAK Profile collection showcases well-defined perfect bath fittings that match the taste of every discerning customer. Geometric contours and accented facets are the primary inspirational elements featured in the Profile star series. Ergonomically designed with excellent quality craftsmanship, the handle of the faucet reflect a cubic shape with rounded edges lent it a unique visual appeal.

Available Finishes










Single lever basin mixer DN 15 ceramic cartridge-K35 cache aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European standard - EN 817







Available Finishes






RAK14124

Concealed 2-hole single lever basin mixer trim set aerator M 24 x 1 flow class Z wall outlet 230 mm without pre-installation kit item no. RAK38243





Available Finishes





RAK14160


Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817








Available Finishes





RAK38243

Pre installation kit DN 15





RAK14161


Single lever basin mixer XL HR DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard - EN 817







Available Finishes





RAK14101


Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint cache aerator M 18.5 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 ¼ inch European Standard - EN 817








Available Finishes





Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K41 S-pointer aerator M 24 X 1 flow class CB automatic diverter: shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817

Available Finishes





RAK14105

Single lever shower mixer DN 15 ceramic cartridge-K41 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard - EN 817







Available Finishes



RAK14114


Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) rectangular spout I = 230 mm PCA aerator M 24 x 1 flexible high pressure supply tubes 1/2 inch European standard- EN 817







Available Finishes













Concealed single-lever bath & shower mixer trim set

RAK38636 Pre-installation kit DN 15





Available Finishes

RAK14176

Concealed single lever Bath & Shower Mixer trim set

RAK38737 Pre-installation kit DN 15







RAK14179

Concealed single-lever shower mixer trim set






PASSION

CLASSIC STYLE WITH ENHANCED FLEXIBILITY

A flawless synergy of geometric shapes that blends with all bathroom styles, mixers from the Passion is designed to offer maximum flexibility. The shower fittings have a sleek and flat hand-held shower that releases gentle & steady flow of water similar to the falling rain. Furthermore showering becomes an invigorating experience. The Kitchen mixer comes with a spout that can revolve 360 degrees, creating ample space within the sink.












Single Lever Basin Mixer DN 15 ceramic cartridge-K35 cache aerator M 24 x 1 1/2"high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817











RAK13060


Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817







Available Finishes





RAK13061


single lever basin mixer XL HR DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard - EN 817








Available Finishes





RAK13028

Side Single Lever Basin Mixer DN 15 ceramic cartridge-K35 swivelling spout-(360°) PCA cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK13070

floor standing Mixer for free standing wash basin single lever basin mixer DN 15, ceramic cartridge with hot water safety device PCA aerator M 24 X 1









Available Finishes

88088

Concealed unit body for free standing wash basin






RAK13072


floor standing Mixer

for free standing bath tubs single lever bath and shower mixer DN 15 floor standing for free standing bath tubs solid lever ceramic cartridge with hot water safety device aerator M 24 x 1, flow class C automatic diverter: shower to bath tub shower connection 1/2 inch protected against backflow fixed spout 1 S hand shower DN15 with shower holder S.S shower hose $1/2 \times 1/2 \times 1500$ mm without pre-installation set for free standing bath/shower mixer KLUDI FLEXX.BOXX DN20 item no. 88088





Concealed 2-hole single lever basin mixer trim set aerator M 24 x 1 flow class Z wall outlet 230 mm without pre-installation kit item no. RAK38243




RAK38243

Pre installation kit DN 15



RAK13001


Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint cache aerator M 18.5 x 1 pop up waste 1 1/4 inch European Standard - EN 817





RAK13002


Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K41 aerator M 24 X 1 flow class CB automatic diverter: shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch





RAK13102

Single lever bath & shower mixer DN 15 (Top Lever) without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class CB automatic diverter: shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK13005


Single lever shower mixer DN 15 ceramic cartridge-K41 Flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch








Available Finishes





RAK13012

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 210 mm PCA cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes European Standard- EN 817











RAK13076

RAK13075 Concealed single-lever bath & shower mixer trim set

RAK38636 Pre-installation kit DN 15



RAK38737





Concealed single lever Bath &

Shower Mixer trim set

Pre-installation kit DN 15








RAK13079

Concealed single-lever shower mixer trim set








Single lever basin mixer DN 15 ceramic cartridge-K35 cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817








Available Finishes





RAK12031

electronic controlled basin mixer DN 15 with 6 V Lithium Battery single hole mounted magnet-cartridge unit, with mixing shaft with control handle cache aerator M 16.5 x 1 flow class A optical object-registration rapid installation set flexible high pressure supply tubes 1/2" inch with integrated back flow preventer









Available Finishes



RAK12001


Single lever high raised basin mixer DN 15 ceramic cartridge-K35 cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817







Available Finishes





RAK12032


electronic controlled XL basin mixer DN 15 with 6 V Lithium Battery single hole mounted magnet-cartridge unit, with mixing shaft with control handle cache aerator M 16.5 x 1 flow class A optical object-registration rapid installation set flexible high pressure supply tubes 1/2"inch with integrated back flow preventer








Available Finishes





RAK12028

Side Single lever basin mixer DN 15 ceramic cartridge-K35 with swivelling spout cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 European standard- EN 817






RAK12041

electronic controlled high raised basin mixer DN 15 with 6 V Lithium Battery single hole mounted magnet-cartridge unit, with mixing shaft with control handle cache aerator M 16.5 x 1 flow class A optical object-registration rapid installation set flexible high pressure supply tubes 1/2"inch with integrated back flow preventer





Available Finishes





Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817









Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class CB automatic diverter: shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817







Available Finishes

RAK12008

Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817










Available Finishes


RAK12012


Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°)spout I=215 mm PCA cache aerator M16.5X1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817















RAK12075

Concealed single-lever bath & shower mixer trim set

RAK38636 Pre-installation kit DN 15





Available Finishes

RAK12076

Concealed single-lever bath & shower mixer trim set

RAK38737 Pre-installation kit DN 15







RAK12079

Concealed single-lever shower mixer trim set












Single lever basin mixer DN 15 Ceramic cartridge - K35 PCA aerator M 24 X 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European standard EN 817

Available Finishes






RAK38003

Single lever shower mixer DN 15 Ceramic cartridge - K35 flow class B shower outlet G 1/2" protected against back flow S-unions $1/2 \times 3/4$ inch European standard - EN 817












RAK38001

Single lever bidet mixer DN 15 Ceramic cartridge - K35 PCA cache aerator M 16.5 X 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European standard EN 817





Available Finishes





RAK38004


Single lever side sink mixer DN 15 Ceramic cartridge - K35 PCA aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard EN 817







Available Finishes






RAK38002

Single lever bath and shower mixer DN 15 Ceramic cartridge -K35 without shower set PCA aerator M 24 X 1 flow class CB automatic diverter shower to bathtub shower outlet G 1/2" protected against back flow S-unions $1/2 \times 3/4$ inch European standard - EN 817





Available Finishes







Available Finishes

RAK38076

Concealed single lever bath and shower -mixer trim set

RAK38737 Pre-installation kit DN 15









RAK38079

Concealed single lever shower mixer trim set


RAK38828 Pre-installation kit DN 15

37






Single lever basin mixer DN 15 ceramic cartridge K-35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK11002


Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class CB automatic diverter: shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK11060


Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK11005


Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK11001

Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - to EN 817





RAK11075

Concealed single-lever bath & shower mixer trim set

RAK38636 Pre-installation kit DN 15



RAK11076

Concealed single lever Bath & Shower Mixer trim set


RAK38737 Pre-installation kit DN 15



RAK11079

Concealed single-lever shower mixer trim set


Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 260 mm aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817





RAK11009

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817











Single lever basin mixer DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817




RAK17060

Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817



RAK17041


basin mixer DN 15 3 hole deck mounted solid levers ceramic head part 90°, Right and Left PCA aerator M 24 x 1 rapid installation set click clack





RAK17061


single lever basin mixer XL HR DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard - EN 817





RAK17001


Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK17002


Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class CB automatic diverter: shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK17003

Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK17050


Single lever sink mixer DN 15 ceramic cartridge-K35 PCA aerator M 22 x 1 swivelling U spout 1/2" high pressure flexible hose with PEX tubes European Standard EN 817







Available Finishes





RAK17075

Concealed single-lever bath &shower mixer trim set

RAK38636 Pre-installation kit DN 15



RAK17076

Concealed single-lever bath & shower mixer trim set

RAK38737 Pre-installation kit DN 15



RAK17079


Concealed single-lever shower mixer trim set



POLARIS DISTINCTIVE DESIGNS THAT IS TRULY AFFORDABLE The Polaris range of classic and elegantly crafted mixers is functional at its best. These bathroom and kitchen products are innovatively designed with exceptional finish to suit your contemporary lifestyle. Combined with world class quality and detailed craftsmanship, this series offer functionality and high quality fittings that blend well with both the bathroom and kitchen décor. The Polaris array of bath & kitchen mixers is worth investing in every household, as they are durable, easy to use and offer excellent value for money.




Single lever basin mixer DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes
pop up waste 1 1/4 inch European Standard- EN 817



RAK10061


single lever basin mixer XL HR DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard - EN 817





RAK10021


POLARIS STAR - Single lever basin mixer DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK10023


Concealed 2-hole single lever basin mixer trim set aerator M 24 x 1 $\mathsf{flow}\;\mathsf{class}\;\mathsf{Z}$ wall outlet 180 mm without pre-installation kit item no. RAK38243





RAK10060


Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817






RAK38243

Pre installation kit DN 15





Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817






RAK10024

Single lever shattaf mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" S- unions 1/2 X 3/4 inch European standard- EN 817






Available Finishes





RAK10002


Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class DB automatic diverter shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK10050


Single lever sink mixer DN 15 ceramic cartridge-K35 PCA aerator M 22 x 1 swivelling U spout 1/2" high pressure flexible hose with PEX tubes European Standard EN 817





RAK10003


Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817






RAK10014

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 260 mm aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817





Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard - EN 817



RAK10076

Concealed single-lever bath & shower mixer trim set

RAK38737 Pre-installation kit DN 15



RAK10079


Concealed single-lever shower mixer trim set

RAK38828 Pre-installation kit DN 15



RAK10028SU

mixer DN 15 ceramic cartridge-K35 swivelling (185°) U spout I = 186 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817




Wall mounted single lever sink



RAK10008

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817










PEAK DISTINCTIVE DESIGN THAT IS TRULY AFFORDABLE




Single lever basin mixer DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard- EN 817



RAK18028


Side Single lever basin mixer DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard- EN 817





RAK18001


Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK18061


single lever basin mixer XL HR DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard - EN 817





RAK18060


Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK18023

Concealed 2-hole single lever basin mixer trim set aerator M 24 x 1 flow class Z wall outlet 180 mm without pre-installation kit item no. RAK38243




RAK38243

Pre installation kit DN 15




Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" S- unions 1/2 X 3/4 inch European standard- EN 817



RAK18008


Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 24 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817






RAK18002

Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class CB automatic diverter shower to bathtub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817



RAK18032

Shower mixer with Dual shower system L-shape L = 1175 mmwall fastening hand and head shower with divertor with 1S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose 1/2 x 1/2 inch x 1600mm with fixing kit swivel head shower





RAK18004

Single lever sink mixer DN 15 ceramic cartridge-K35 PCA aerator M 22 x 1 swivelling U spout 1/2" high pressure flexible hose with PEX tubes European Standard EN 817



RAK18072


Single lever sink mixer DN15 single hole mounted, swivel spout (360°) pull-out hand spray automatic diverter: jet/spray Double clip quick connector with back flow preventer







SWIVEL SPOUT (360°) PULL-OUT HAND SPRAY





RAK18076

Concealed single-lever bath shower mixer trim set

RAK38737 Pre-installation kit DN 15



RAK18079


Concealed single-lever shower mixer trim set








Medicare single lever basin mixer HR DN 15 solid clinic lever K36 ceramic cartridge with hot water safety device PCA aerator M 24 x 1 flexible high pressure supply tubes 1/2 inch European Standard- EN 817






RAK18070

Medicare single lever basin mixer DN 15 solid clinic lever K36 ceramic cartridge with hot water safety device PCA aerator M 24 x 1 flexible high pressure supply tubes 1/2 inch pop up waste 1 1/4 inch European Standard- EN 817



RAK18073


wall mounted medicare single lever basin mixer solid clinic lever K36 ceramic cartridge with hot water safety device PCA aerator M 24 x 1 European Standard- EN 817








Single lever basin mixer DN 15 Ceramic cartridge - K35 PCA aerator M 24 X 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European standard EN 817




RAK39001

Single lever bidet mixer DN 15 ceramic cartridge-K35 cache aerator M16.5X1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817



RAK39002


Single lever bath and shower mixer DN 15 Ceramic cartridge -K35 without shower set PCA aerator M 24 X 1 flow class CB automatic diverter shower to bathtub shower outlet G 1/2" protected against back flow S-unions 1/2 x 3/4 inch European standard - EN 817





RAK39003

Single lever shower mixer DN 15 Ceramic cartridge - K35 flow class B shower outlet G 1/2" protected against back flow S-unions $1/2 \times 3/4$ inch European standard - EN 817





RAK39076


Concealed single lever bath and shower -mixer trim set

RAK38737 Pre-installation kit DN 15




RAK39079

Concealed single lever shower -mixer trim set






Dual controlled basin mixer DN15 swivel spout aerator M 22 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1¼" European Standard - EN 200



RAK34010


Dual controlled shower mixer DN 15 ceramic head part 90 ,Right & Left flow class B shower connection 1/2 inch protected against back flow S-unions 1/2 inch x 3/4 inch in accordance to EN 200





RAK34003


Pillar tap DN15 single hole deck mounted with swivel spout aerator M22 x 1 flow class A marked : blue European standard- EN200





RAK34007


Long Bibcock DN15 marked : blue thread connection 1/2 inch European standard- EN200 aerator M22X1 flow class A





RAK34002


Bibcock DN15 marked : blue Hose union 1/2 inch European standard- EN200





RAK34005


Dual controlled bath and shower mixer DN 15 without shower set aerator M24x1 flow class CB S-unions 1/2 inch x 3/4 inch automatic divertor : shower to bathtub shower outlet 1/2 inch European standard- EN200






RAK34008

Wall mounted sink tap DN15 marked : blue swivel spout aerator M22x1 flow class A thread connection 1/2 inch European standard- EN200






Dual controlled sink mixer DN15 deck mounted with swivel spout aerator M22 x 1 1/2"high presssure flexible hose with PEX tubes European Standard - EN 200





RAK34001SU


Dual controlled wall mounted sink mixer DN 15 swivel U spout aerator M22 x 1 flow class A S- unions 1/2 inch x 3/4 inch European standard- EN200






RAK34001

Dual controlled wall mounted sink mixer DN 15 swivel spout aerator M22 x 1 flow class A S- unions 1/2 inch x 3/4 inch European standard- EN200










Self Closing Tap - Push type DN 15 push type cache type aerator M16.5x1 minimum working pressure 0.1bar maximum working pressure 3 bar time of water flow 0 to 16sec with 2mm allen key for time adjustment



RAK50002


Self Closing Mixer DN15 push type 1/2 inch high pressure flexible hose with PEX tubes with cache aerator M16.5x1 minimum working pressure 0.1bar maximum working pressure 3 bar time of water flow 0 to 16sec with 2mm allen key for time adjustment












RAK50003

Wall Mounted Self Closing Tap Push type DN 15 with S point aerator minimum working pressure 0.1bar maximum working pressure 3 bar time of water flow 0 to 16sec


with 2mm allen key for time adjustment






RAK50004

Concealed valve self closing (outdoor)-DN15 Push type timing device connection 1/2 inch maximum time of water flow 15 sec



PEAK Pull Out Sirk Mixer

SINK MIXER





Single lever sink mixer with pull-out hand spray



Automatic diverter: Jet / Spray

SWIVEL SPOUT (360°) PULL-OUT HAND SPRAY









SINK MIXER SINK MIXER



RAK37004 - PETRA

Single lever sink mixer DN 15 Ceramic cartridge - K35 swivelling (360) spout I = 180 mm PCA aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard EN 817







Available Finishes



RAK38004 - PACIFIC

Single lever side sink mixer DN 15 Ceramic cartridge - K35 PCA aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard EN 817







Available Finishes



RAK14114 - PROFILE STAR

Single lever sink mixer DN 15 Ceramic cartridge with hot water safety device Ø35 mm swivelling (360°) rectangular spout I = 230 mm PCA aerator M 24 x 1 flexible high pressure supply tubes European Standard- EN 817







Available Finishes



RAK13012 - PASSION

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 210 mm PCA cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes European Standard- EN 817



RAK10050 - POLARIS

Single lever sink mixer DN 15 ceramic cartridge-K35 PCA aerator M 22 x 1 swivelling U spout 1/2" high pressure flexible hose with PEX tubes European Standard EN 817



RAK17050 - PEARL

Single lever sink mixer DN 15 ceramic cartridge-K35 PCA aerator M 22 x 1 swivelling U spout 1/2" high pressure flexible hose with PEX tubes European Standard EN 817





Available Finishes



RAK18004 - PEAK

Single lever sink mixer DN 15 ceramic cartridge-K35 PCA aerator M 22 x 1 swivelling U spout 1/2" high pressure flexible hose with PEX tubes European Standard EN 817



RAK12012 - PRIME

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°)spout I=215 mm PCA cache aerator M16.5X1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817



RAK18072 - PEAK PULL OUT

Single lever sink mixer DN15 single hole mounted, swivel spout (360°) pull-out hand spray automatic diverter: jet/spray Double clip quick connector with back flow preventer







RAK11010 - PROJECT

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 260 mm aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817

RAK10014 - POLARIS

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 260 mm aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817

RAK18008 - PEAK

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 24 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817



RAK11009 - PROJECT

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817



RAK10008 - POLARIS

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817



RAK10028 - POLARIS

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard - EN 817



RAK10028SU - POLARIS

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) U spout I = 186 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817



RAK34001 - PREMIER X

Dual controlled wall mounted sink mixer DN 15 swivel spout aerator M22 x 1 flow class A S- unions 1/2 inch x 3/4 inch European standard- EN200



RAK34001SU - PREMIER X

Dual controlled wall mounted sink mixer DN 15 swivel U spout aerator M22 x 1 flow class A S- unions 1/2 inch x 3/4 inch European standard- EN200



RAK34008 - PREMIER X

Wall mounted sink tap DN15 marked : blue swivel spout aerator M22x1 flow class A thread connection 1/2 inch European standard- EN200




RAK34000 - PREMIER X

Dual controlled sink mixer DN15 deck mounted with swivel spout aerator M22 x 1 1/2"high presssure flexible hose with PEX tubes European Standard - EN 200






Brass Over head shower DN 15 250 mm x 250 mm with cleaning system



RAK45040


Brass Over head shower DN 15 Ø 400mm with cleaning system






RAK45130

Brass Over head shower DN 15 300 mm x 300 mm with cleaning system



RAK22056


ABS Over head shower DN 15 260 mm x 200 mm with cleaning system with ball joint connection 1/2 inch





RAK45140

Brass Over head shower DN 15 400 mm x 400 mm with cleaning system



RAK12014


ABS Over head Shower DN 15, Ø 245 mm with swivel ball joint ½" inch








Available Finishes





RAK45025

Brass Over head shower DN 15 Ø 250mm with cleaning system



RAK12114


ABS Over head Shower DN 15, 250 mm x 250 mm with cleaning system with ball joint connection 1/2 inch








Available Finishes






RAK45030


Brass Over head shower DN 15 Ø 300mm with cleaning system







ABS Over head Shower DN 15, Ø 200 mm with swivel ball joint ½" inch





RAK12013


Shower arm 400 mm, DN 15 Projection 415 mm with sliding cover plate male thread 1/2 inch

Recommended for all round head shower






Available Finishes





RAK10013

Over head Shower DN 15, Ø 151 mm with swivel ball joint ½" inch






RAK12113

Square shower arm 410mm DN15 Projection 388 mm Connection G1/2" inch with sliding cover plate

Recommended for all square head shower

Available Finishes






RAK44002

Over head Shower 4S - DN 15, Ø 120 mm with swivel ball joint ½" inch Jet kind : spray/misty/massage/ spray & massage

** Refer to the Page Number 146 for Flow Rate requirement





RAK10012

Shower arm 250 mm, DN 15 Projection 255 mm with sliding cover plate male thread 1/2 inch


Recommended for smaller than 250mmØ head shower







Available Finishes






RAK45001

Shower arm 135 mm, DN 15 Projection 135 mm with sliding cover plate male thread 1/2 inch

Recommended to RAK10013 & RAK44002






Ceiling Shower arm 500mm, DN 15 Projection 500 mm with sliding cover plate male thread 1/2 inch







Available Finishes






RAK14008

PROFILE wall spout DN 15 projection 190 mm wall fastening s-pointer aerator M 24 x 1 flow class C





Available Finishes





RAK10111


Ceiling Shower arm 200mm, DN 15 Projection200mm with sliding cover plate male thread 1/2 inch







Available Finishes






RAK12007

PRIME Wall spout DN 15 wall projection 160 mm wall fastening cascade aerator M 24 x 1flow class C with sliding cover plate in accordance to EN 200





Available Finishes





RAK10007


POLARIS wall spout DN15 wall fastening aerator M28 X 1 flow class B with sliding cover plate projection 170 mm in accordance to EN 200







Available Finishes





RAK10011


Ceiling Shower arm 150mm, DN 15 Projection 150 mm with sliding cover plate male thread 1/2 inch







Available Finishes






RAK11013

PROJECT wall spout DN15 aerator M 28 x 1 flow class BB automatic diverter: shower to bathtub shower outlet 1/2 inch protected against back flow with sliding cover plate Ø 60 mm projection 170 mm












1S Hand shower DN15 jet kind : rain shower anti-limescale system 48 spray nozzles connection G1/2" perfect spray pattern fits all standard shower hoses




RAK40014

3S Hand Shower DN 15 Ø 125 mm jet kind: spray/massage/spray & massage





Available Finishes





RAK40008


1S Hand shower DN15 jet kind : rain shower anti-limescale system flow class A 48 spray nozzles connection G1/2" perfect spray pattern fits all standard shower hoses







Available Finishes







RAK40002

4S Hand Shower DN 15 jet kind : spray/misty/massage/spray & massage



Available Finishes



RAK40015

3S Hand Shower DN 15 jet kind : spray/massage/spray & massage







Available Finishes





Ø 120 mm








RAK7310005

1S Hand Shower DN 15 jet kind : rain shower






RAK40003

3S Hand held Shower DN 15 Easy open Ø 100 mm jet kind: spray/massage/ spray & massage









SHOWER **ACCESSORIES**




RAK22182

wall supply with shower holder DN 15 Size:25×25×65mm






Available Finishes





RAK14020

Wall mounted shower holder with screws and dowels





RAK22082


wall supply with shower holder DN15 Size 32X89mm







Available Finishes





RAK6055105


Wall mount shower holder with screws and dowels







Available Finishes





RAK22181


wall supply DN15 Size:25×25×57mm







Available Finishes





RAK22030


Wall mounted adjustable shower holder with screws and dowels







Available Finishes






RAK6054005

Wall supply DN 15 with wall flange connection 1/2 inch






Available Finishes





RAK6105605

Logo flex hose DN 15 plastic coated with metal-effect with conical nuts 1/2 x 1/2 inch x 1600mm





RAK22180


shower holder DN 15 Size:25×25×55mm







Available Finishes






RAK22038

Supreme Hose with conical nut G1/2 x 1/2 inch x 1500mm












3S Shower set L=700 mm

with horizontally and vertically adjustable slider bright silver shower hose 1/2 x 1/2 inch x 1500 mm with conical nuts 3S hand-held shower adjustable to 3-spray jets jet kind : saturating spray / massage spray / misty spray with screws and dowels with soap dish






RAK62200

1S Shower set L= 680 mm


wall bar with silder horizontally and vertically adjustable jet kind : rain shower with fixing kit 1S hand -held shower with quick lime deposit cleaning system with bright silver hose and conical nuts 1/2 x 1/2 inch x 1500 mm with screws and dowels





3S Shower set L=725 mm

wall bar with acrylic shelf with slider horizontally and vertically adjustable 3S hand-held shower bright silver shower hose jet kind:spray, massage, spray+massage bright silver shower hose 1/2 x 1/2 inch x 1500 mm with conical nuts with screws and dowels with dirt catching sieve








TRIO - 1S

RAK6013105

1S Shower set L=600mm

with screws and dowels

wall bar with slider horizontally and vertically adjustable jet kind:rain shower with soap dish with fixing kit 1S hand-held shower with quick lime deposit cleaning system with Logoflex-hose, plastic coated with metaland conical nuts 1/2 x 1/2 inch x 1600 mm






RAK62008

3S Shower set L=600 mm

wall bar with horizontally and vertically adjustable slider jet kind : spray / massage / spray & massage 3S hand-held shower DN 15 with quick lime deposit cleaning system with supreme shower hose G1/2 x G1/2 x 1500 mm with conical nuts with fixing kit

Available Finishes





TRIO - 4S

RAK42005

4S Shower set L=600mm

with screws and dowels

wall bar with slider horizontally and vertically adjustable jet kind: spray/misty/massage/spray & massage with soap dish with fixing kit 4S hand-held shower with quick lime deposit cleaning system with Logoflex-hose, plastic coated with metaleffect and conical nuts 1/2 x 1/2 inch x 1600 mm





RAK62010

3S Shower set L=600 mm


wall bar with horizontally and vertically adjustable slider jet kind : spray / massage / spray & massage 3S hand-held shower DN 15 with quick lime deposit cleaning system with supreme shower hose G1/2 x G1/2 x 1500 mm with conical nuts with fixing kit






















RAK62001


1S Shower set L=600 mm wall bar with slider horizontally and vertically adjustable jet kind:rain shower with soap dish with fixing kit 1S hand-held shower with quick lime deposit cleaning system with stainless steel hose, and conical nuts 1/2 x 1/2 inch x 1500 mm with screws and dowels





4S Shower set L=600 mm


wall bar with slider horizontally and vertically adjustable jet kind: spray/misty/massage/spray & massage with soap dish with fixing kit 4S hand-held shower with quick lime deposit cleaning system with stainless steel hose and conical nuts 1/2 x 1/2 inch x 1500 mm with screws and dowels





RAK62003


Bathtub set jet kind: rain shower shower connection G 1/2 shower hose 1/2" x 1/2" x 1500 mm Adjustable holder with screws and dowels





RAK62012


bath shower set 1S 1S hand shower DN 15 one spray pattern quick and easy cleaning system with dirt catching sieve supreme shower hose G1/2 x G1/2 x 1500 mm with conical nuts with shower holder for shower hoses with conical nuts for rigid wall mounting





ECO 1S **RAK7310025E**


Bathtub set jet kind: rain shower shower connection G 1/2 shower hose 1/2" x 1/2" x 1600 mm Adjustable holder with screws and dowels





ECO 4S **RAK40022E**


Bathtub set jet kind: spray/misty/massage/spray & shower connection G 1/2 shower hose 1/2" x 1/2" x 1600 mm Adjustable holder with screws and dowels





RAK7310015

Bathtub set jet kind:rain shower shower connection G 1/2 shower hose 1/2" x 1/2" 1600 mm fixed holder with screws and dowels
















Shower mixer with Dual shower Shower mixer with Dual shower system L-shape
L = 1175 mm
wall fastening
hand and head shower
with divertor
with 1S hand held shower 1/2 inch
ridgeless adjustable shower holder
vertically and cylindrically
adjustable shower holder
shower hose
1/2 x 1/2 inch x 1600mm
with fixing kit
swivel head shower





Shower mixer with Dual shower system L-shape L = 1175 mm wall fastening hand and head shower with divertor with 1S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose 1/2 x 1/2 inch x 1600mm with fixing kit swivel head shower








RAK48100


Dual shower system L-shape with adjustable L = 1250 mm wall fastening hand and head shower two way ceramic diverter with 1S hand held shower 1/2 inch rigideless adjustable shower holder vertically and horizontally shower hose $1/2 \times 1/2 \times 1$ inch x 1500 mm with fixing kit swivel head shower connection hose mixer to dual shower 1/2 x 1/2 inch x 800





RAK48001

Dual shower system L-shape L = 960 mmwall fastening hand and head shower two way ceramic divertor with 3S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose $1/2 \times 1/2$ inch x 1500mm with fixing kit swivel square head shower connecting hose mixer to dual shower 1/2 x 1/2 inch x 800 mm






RAK48002


Dual shower system L-shape L = 1160 mm wall fastening hand / head shower two way ceramic diverter with 1S hand-held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hoses with 1/2 inch nut with fixing kit swivel head shower


RAK40002 Hand shower RAK12014 Overhead





Dual shower system L-shape L = 960 mmwall fastening hand and head shower two way ceramic divertor with 4S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose 1/2 x 1/2 inch x 1500mm with fixing kit swivel Round head shower connecting hose mixer to dual shower 1/2 x 1/2 inch x 800 mm








RAK48042

Dual shower system L-shape L = 960 mmwall fastening hand and head shower two way ceramic divertor with 3S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose $1/2 \times 1/2$ inch x 1500mm with fixing kit swivel Round head shower connecting hose mixer to dual shower $1/2 \times 1/2$ inch x 800 mm Available Finishes






SWING ACCESSORIES




RAK20001

Single towel bar wall fastening with screws and dowels



RAK20007


Tumbler holder with glass wall fastening with screws and dowels






RAK20003

Towel ring wall fastening with screws and dowels



RAK20008


Soap dish with glass wall fastening with screws and dowels





RAK20004

Paper holder wall fastening with screws and dowels






Paper roll holder wall fastening with screws and dowels






RAK20005

Robe Hook wall fastening with screws and dowels





Towel shelf with towel bar wall fastening with screws and dowels



PACIFIC ACCESSORIES



RAK28001


Single towel bar 600mm wall fastening with screws and dowels





RAK28007


Tumbler holder with glass wall fastening with screws and dowels





RAK28003


Towel ring wall fastening with screws and dowels





RAK28008


Soap dish with glass wall fastening with screws and dowels





RAK28004


Paper holder with adjustable guide plate wall fastening with screws and dowels





RAK28032


Toilet brush holder wall fastening with screws and dowels with container glass with brush





RAK28015


Paper roll holder wall fastening with screws and dowels





RAK28033


Wall mounted soap dispenser 150 ml wall fastening with screws and dowels





RAK28005


Robe Hook wall fastening with screws and dowels








Single towel bar wall fastening with screws and dowels with square bar



RAK24025


Double Robe hook wall fastening with screws and dowels





RAK24001


Single towel bar wall fastening with screws and dowels with square bar





RAK24007


Tumbler holder glass wall fastening with screws and dowels





RAK24003


Towel ring wall fastening with screws and dowels





RAK24008


Soap dish glass wall fastening with screws and dowels with a bowl of glass





RAK24004


Paper holder wall fastening with screws and dowels





RAK24033


Wall mounted soap dispenser, glass - 225 ml wall fastening with screws and dowels





RAK24015

Extra Paper Roll holder wall fastening



RAK24013

Glass shelf wall fastening with screws and dowels






with screws and dowels



RAK24010


Brass Towel shelf wall fastening with screws and dowels





RAK24005


Robe hook wall fastening with screws and dowels





RAK24032


Toilet brush holder wall fastening with screws and dowels





RAK21000


Single towel bar wall fastening with screws and dowels





RAK21001


Single towel bar wall fastening with screws and dowels





RAK21003


Towel ring wall fastening with screws and dowels





RAK21031


Towel ring wall fastening with screws and dowels





RAK21004


Paper holder wall fastening with screws and dowels with adjustable guide plate






RAK21005

Robe hook wall fastening with screws and dowels






Soap dish, glass wall fastening with screws and dowels with a bowl of crystal glass





RAK21007


Tumbler holder, glass wall fastening with screws and dowels





RAK21014


Double tumbler holder, glass wall fastening with screws and dowels





RAK22009


Wall mounted soap dispenser, brass - 150 ml wall fastening with screws and dowels





RAK21033


Wall mounted soap dispenser, glass - 200 ml wall fastening with screws and dowels





RAK21002

Soap basket wall fastening with screws and dowels






RAK21006

Soap / sponge basket wall fastening with screws and dowels





Soap basket corner wall fastening with screws and dowels



RAK21010

Towel shelf wall fastening with screws and dowels





RAK21013


Glass shelf wall fastening with screws and dowels





RAK21020

Towel shelf with towel bar wall fastening with screws and dowels





RAK21012


Double towel bar adjustable with adjustable two arm wall fastening with screws and dowels




RAK21011

Double towel bar wall fastening with screws and dowels











RAK21009

Bath grab bar wall fastening with screws and dowels







KLUDI









RAK21032

Toilet brush holder, glass wall fastening with screws and dowels with container glass with brush



RAK21015

Extra paper roll holder wall fastening with screws and dowels



RAK21021

CALIBER Bathroom accessories, 6 piece set

RAK21022

PROJECT Bathroom accessories, 6 piece set

RAK27021

PEARL Bathroom accessories, 5 piece set



Brass Shattaf with supreme hose & wall bracket Connection 1/2 inch with supreme hose G1/2 x G 1/2 x 1200mm with wall braket with dirt catching sieve







Available Finishes



RAK32107

ABS Shattaf with hose & wall bracket Connection 1/2 inch SS hose G1/2 x G 1/2 x 1200mm with wall bracket with dirt catching sieve braided pull out anti explosive hose



RAK3200704

Angle valve with holder for shattaf with 1/4 turn handle connection 1/2 inch x 1/2 inch ceramic disc fitting **ABS Shattaf** SS 304 braided pull-out anti explosive hose G1/2 x G1/2 x 1200 mm with dirt catching sieve



RAK32007

ABS chrome Shattaf with hose & wall bracket Connection 1/2 inch SS hose G1/2 x G 1/2 x 1200mm with wall bracket with dirt catching sieve braided pull out anti explosive hose



Spray stream by Neoperl Germany



Aerator key for easy clean



RAK32008

ABS Black Shattaf with black hose & wall bracket Connection 1/2 inch black hose G1/2 x G 1/2 x 1200mm with wall bracket with dirt catching sieve



Anit-Twist hose rotation



RAK32009

ABS White Shattaf with hose & wall bracket Connection 1/2 inch SS hose G1/2 x G 1/2 x 1200mm with wall bracket with dirt catching sieve braided pull out anti explosive hose



Stainless steel braided pull out anti-explosive hose



RAK3200701

ABS chrome Shattaf with Ceramic Shut-off valve Connection 1/2 inch Supreme hose G1/2 x G 1/2 x 1200mm with dirt catching sieve protected against back flow





RAK3200702

ABS chrome Shattaf with Concealed single lever mixer, pre installation kit DN15 Connection 1/2 inch Supreme hose G1/2 x G 1/2 x 1200mm with wall bracket with dirt catching sieve protected against back flow







Available Finishes





RAK3200703

ABS chrome Shattaf with Single lever shattaf mixer DN 15 ceramic cartridge-K35 shower outlet G 1/2" Supreme hose G1/2 x G 1/2 x 1200mm S- unions 1/2 X 3/4 inch European standard- EN 817












ESSENTIAL ACCESSORIES



RAK14013

Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting working pressure 6 bar maximum provided with hot and cold button rosette brass with chrome plating










Available Finishes



RAK13013

Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting working pressure 6 bar maximum provided with hot and cold button rosette brass with chrome plating








Available Finishes



RAK12018

Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting working pressure 6 bar maximum provided with hot and cold button rosette brass with chrome plating










Available Finishes



RAK10018


Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting working pressure 6 bar maximum provided with hot and cold button rosette brass with chrome plating





RAK12019


brass angle valve 1/4 turn double handle double control ceramic disc fitting outlets G1/2"XG1/2" smooth turn on and off handle working pressure 7 bar maximum






RAK33001

Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting ABS handle working pressure 6 bar maximum provided with hot and cold button S.S rosette



RAK33002-01


Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting working pressure 6 bar maximum provided with hot and cold button S.S rosette





RAK33003


Brass long angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting ABS handle working pressure 6 bar maximum provided with hot and cold button S.S rosette





RAK33004

Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting ABS handle working pressure 6 bar maximum provided with hot and cold button S.S rosette




ESSENTIAL **ACCESSORIES**



RAK22007

Click clack waste fitting with Over flow Hole Click Clack Waste Fitting 1¼"




RAK1020505

Bottle Trap 1 1/4" X 32 MM, square





Available Finishes






RAK22007UK

Click clack waste fitting with Over flow Hole Click Clack Waste Fitting 1¼"


Available Finishes





RAK1025005

Ideal P-Trap G 1 1/4" x 32 mm G 1 1/4" x 32 mm adjustable drain pipe up to 70 mm with outlet bend 32 x 220 mm with wall flange






RAK22025UK

Click clack waste fitting without Over flow hole Click Clack Waste 11/4"






Available Finishes





RAK1026005


Brass P-Trap G1. 1/4 x 32mm for basin





RAK22015

PVC bottle trap 1 1/4" Inlet pipe- G 1 1/4" x 32mm with outlet tube Ø40 x 200mm with wall flange






RAK22023

Brass chrome floor drain Floor drain (150x150mm) with heavy steel mesh

Available Finishes






RAK1010505

Brass chrome bottle trap 1 1/4 " G 1 1/4" x 32 mm with outlet tube 32 x 200 mm with wall flange


Available Finishes





RAK22029

Stainless steel floor drain Floor drain (150x150mm) With heavy steel mesh





RAK1002005


ROUND





RAK22024

Stainless steel floor drain Floor drain (200x200mm) With heavy steel mesh



ESSENTIAL **ACCESSORIES**




RAK22039

Supreme Hose with conical nut G1/2 x 1/2 inch x 1200mm






Available Finishes




RAK22018

AGGRAF HOSE-G1/2"x1/2"x1200mm




RAK22046

Pull out anti explosive hose with S.S braided G1/2" x G1/2" x 1200 mm



RAK22048


Logo Flex hose G 1/2" x 1/2 " x 1200 mm






RAK22028

Flex feeding hose G 1/2" x 1/2 " x 300 mm



RAK22008


Flex feeding hose G 1/2" x 1/2 " x 500 mm





RAK6210121


Acrylic soap dish (for wall bar)





RAK22070


Click Clack Waste Fitting size 1 1/2 inch easy to install push down pop up





RAK22071

Click clack bathtub drain G1 1/2 domestic waste water push down pop up using with finished product easy to install maintenance free cleaning made easy ordour proof indoor size 1 1/2 inch










Available Finishes






Brass Exposed shower Pipe





FlexRed WC


EN 14055 Discharge volume 3/6L Appropriate For Dry Wall Installation And Brick Wall Installation with two WC fixing bolts Completely preassembled in the factory Water tank capacity 10 L max. Tank depth 80 mm (Overall thickness including frame 100 mm) Mechanical Dual Flush Water supply connection top right G 1/2 Male Acoustic Class (1st Class) EN 14124 Inlet Valve Water flow pressure 0.3 MPa (3 bar) / Max Vol : 9.0 dB,Flow rate : 9L/min Impact Copolymer special PP Body. (High resistance toimpact and thermal shock) insulation in front of the body for a better acoustic level and to prevent condensation Powder coated, tubing profile thick (30 mm x 40 mm) metal frame WC hanging rods can bear up to 400 kgs. (Adjustable for 18 or 23 cm axial distance of toilet bowls and 115cm to 139cm vertical)



RAK80001

FlexRed Bidet

Wall-Hung bidet / WC frame Higher strenghth including hot/cold adjustable WATER CONNECTORS steel frame, reinforced PVC outlet pipe Forged brass water connector






RAK80002

FlexBasic

CISTERN (For Floor Mounted WC Pans - Dual Flush) Tank depth 80 mm Discharge volume 3/6L Water supply connection top right G 1/2 Male Acoustic Class (1st Class)






RAK80010

FlexPlate

Dual flush push plate Material: ABS Plastic dimensions: 227x167 mm

















Inset Sink 48X48 Single Bowl S.S 304 Satin finish 3.5" Waste with siphons



1

Undermount Sink 40x40 Single Bowl S.S 304 Satin finish 3.5" Waste with siphons


RAK90850






RAK90810

Inset Sink 50X86 Single Bowl Single Drainer S.S 304 Satin finish 3.5" Waste with siphons



RAK90860


Undermount Sink 48 x 83 Double Bowl S.S 304 Satin finish 3.5" Waste with siphons





RAK90830

Inset Sink 50X100 Double Bowl Single Drainer S.S 304 Satin finish 3.5" Waste with siphons




RAK90891

Waste Trap for Single Bowl Sink Standard 3.5" waste plug with over flow



RAK90820

Inset Sink 50X116 Double Bowl Single Drainer S.S 304 Satin finish 3.5" Waste with siphons






RAK90892

Waste Trap for Double Bowl Sink Standard 3.5" waste plug with over flow

128 | KLUDI RAK



Blade Type Automatic Hand Dryer Wall Mounted Voltage: 220V-240V ABS Silver paint finish



























V









Automatic Hand Dryer Wall Mounted Voltage: 220V-240V SS 304 Satin finish

























RAK90510


Wall Mounted Paper Dispenser Capacity: 400C-fold or 525 multifold SS 304 Satin finish





RAK90511

Paper Towel Dispenser with Waste Receptacle, Recessed Capacity up to 350C-fold or 475 multifold Waste container capacity 7L Two doors with front tumbler locks keyed SS 304 Satin finish





















130 | KLUDI RAK 131




Paper Towel Dispenser Recessed with Waste Receptacle Capacity up to 450C-fold or 600 multifold Waste container capacity 14L Two doors with front tumbler locks keyed SS 304 Satin finish




RAK90542

Wall Mounted Paper Towel Dispenser with Waste Receptacle Capacity up to 350C-fold or 475 multifold Waste Container capacity 14L Two doors with front tumbler locks keyed SS 304 Satin finish






Paper Towel Dispenser Recessed with Waste Receptacle Capacity up to 450C-fold or 600 multifold Waste container capacity 14L Dryer: Infrared Sensor, Heater 650W Three doors with front tumbler locks keyed SS 304 Satin finish



RAK90540


Paper Towel Dispenser Recessed Capacity up to 300C-fold or 400 multifold One door with front tumbler lock keyed SS 304 Satin finish





RAK90543

Paper Towel Dispenser with Waste Receptacle, Recessed Capacity up to 450C-fold or 600 multifold Waste container capacity 14L One door with front tumbler locks keyed SS 304 Satin finish






132 | KLUDI RAK



Pedal Dust Bin, 3L (dia.)168mm X 255mm (H) SS 410 Satin finish


RAK90301

Pedal Dust Bin, 5L (dia.)206mm X 295mm (H) SS 410 Satin finish




RAK90100

Deck Mounted Automatic Soap Dispenser Capacity 1600ml Power: AC220V DC1.6V Brass Chrome finish



RAK90110


Wall Mounted Automatic Soap Dispenser Capacity 750ml Power: 4 AA Batteries SS 304 Satin finish





RAK90111

Wall Mounted Automatic Soap Dispenser Capacity 800ml Power: 4 AA Batteries SS 304 Satin finish








PAPER ROLL HOLDER

RAK90200


Jumbo Roll Paper Dispenser SS 304 Satin finish





RAK90120


Wall Mounted Soap Dispenser, Pull type Capacity 1000ml SS 304 Satin finish





RAK90221


Exposed Double Toilet Roll Holder SS 304 Satin finish






RAK90131

Wall Mounted Soap Dispenser, Push type Capacity 500ml SS 304 Satin finish






Stamping Floor Drain Tile Insert with Smell Prevention and Opening Key 100x100mm SS 304 Satin finish





RAK90710


Casting Floor Drain Tile Insert with Smell Prevention 100x100mm SS 304 Satin finish





RAK90702-1


Stamping Floor Drain Tile Insert with Smell Prevention 100x100mm SS 304 Polished finish





RAK90720


Shower Channel Tile Insert with Smell Prevention Channel 300x80mm SS 304 Satin finish





RAK90703-1


Stamping Floor Drain Tile Insert 150x150mm SS 304 Polished finish





RAK90721


Shower Channel Tile Insert with Smell Prevention and Opening Key Channel 600x80mm SS 304 Satin finish






RAK90722

Shower Channel Tile Insert with Smell Prevention Channel 800x80mm SS 304 Satin finish






Floor Drain Long Grate Insert with Smell Prevention Cover Type A Channel 300x103mm SS 304 Satin finish





RAK90741-1


Pop Up Foot Floor Drain 150x150mm SS 304 Polished finish





RAK90731B


Floor Drain Long Grate Insert with Smell Prevention and Opening Key Cover Type B Channel 600x103mm SS 304 Satin finish





RAK90750-1


Floor Drain 150x150mm SS 304 Polished finish





RAK90732


Floor Drain Long Grate Insert with Smell Prevention Cover Type A Channel 800x103mm SS 304 Satin finish





RAK90704


Stamping Floor Drain Casting Floor Drain Tile Insert with opening key 130x130mm SS 304 Satin finish





RAK90760-1


Floor Drain 100x100mm SS 304 Satin finish





RAK91025


Double Robe Hook SS 304 Satin finish





RAK91005


Single Robe Hook SS 304 Satin finish





RAK91020


Shelf with Towel Bar 580mm SS 304 Satin finish





RAK91002


Wall Mounted Soap Dish SS 304 Satin finish





RAK91001


Towel Bar 580mm SS 304 Satin finish





RAK92004


Toilet Roll Holder with Lid SS 304 Satin finish





RAK91010


Glass Shelf 519mm SS 304 Satin finish & Glass





RAK92001


Towel Bar 560mm SS 304 Satin finish





RAK91004


Toilet Roll Holder with Lid SS 304 Satin finish





RAK92025


Double Robe Hook SS 304 Satin finish







Baby Changing Station Made by High Quality HDPE






RAK90430

Grab Bar 600mm SS 304 Satin finish




900mm 700mm SS 304 Satin finish SS 304 Satin finish





RAK90900

Square Cloth Line 2.8 M SS 304 Polished finish






RAK90400

Folding Up Grab Bar 600mm SS 304 Satin finish




Folding Up Grab Bar 800mm SS 304 Satin finish





RAK90940


8" Round Vanity Mirror with LED Magnifying multiple:3 Brass Chrome Plated





RAK90420


Grab Bar Horizontal Angled SS 304 Satin finish






RAK90941

8x8" Square Vanity Mirror with LED Magnifying multiple:3 Brass Chrome Plated





KLUDI RAK operates under international certifications that demonstrate its dedication to manufacturing quality products

DVGW CERTIFICATE GmbH is the largest gas and water industry certification body in Europe, covering all the certification procedures equired in the gas and water sectors. The main objective of all certification work is to ensure that there are no safety, hygiene or environmental objections to the products and companies certified. The DVGW CERT certification system ensures proven quality and safety on the basis of the DVGW standards and other recognized technical standards and test specifications.

ISO 9001:2015 is the international standard that specifies requirements for a quality management system (QMS). Organizations use the standard to demonstrate the ability to consistently provide products and services that meet customer and regulatory requirements. ISO 9001:2015 is based on the plan-do-checkact methodology and provides a process-oriented approach to documenting and reviewing the structure, responsibilities, and procedures required to achieve effective quality management.

SASO Quality Mark is an important means to guide consumers to products that conform to Saudi Arabian standards. Through the Quality Mark, products gain customers' satisfaction and trust.

Emirates Green Building Council (EmiratesGBC) was formed in 2006, with the goal of advancing green building principles for protecting the environment and ensuring sustainability in the United Arab Emirates.

SONCAP The Standards Organisation of Nigeria (SON) is the apex standardization body in Nigeria.

WRAS is a subscription membership company limited by guarantee and was incorporated on 4 August 2008. The purpose of WRAS is to contribute to the protection of public health by preventing contamination of public water supplies and encouraging the efficient use of water by promoting and facilitating compliance with the Water Supply (Water Fittings) Regulations and Byelaws.

Emirates Authority for Standardization and Metrology (ESMA) was established as the sole Standardization Body in the UAE. The body issues conformity certificate for Water Fixtures Products complying with the UAE Assessment Scheme (ECAS) according to the technical requirements of the cabinet resolution No. 43 for the year 2014.

ADQCC Abu Dhabi Quality and Conformity Council is an Abu Dhabi government entity established in accordance with Local Law No. (3) of 2009 to raise the quality of Abu Dhabi's exports and products traded locally. QCC consists of a council of regulators and industry with a mandate to ensure provision of quality infrastructure in line with global standards.

Supplier Certificate from UAE Ministry of Infrastructure Development

WATER EFFICIENCY COMPLIANCE

KLUDI RAK's products have been issued with the Water Efficiency Label from SASO Water Efficiency Labeling Programme of Saudi Arabia, Emirates Authority for Standardization and Metrology (ESMA) of the UAE and Egyptian Organization For Standardization & Quality (EOS) of Egypt. KLUDI RAK is amongst the first companies to have 5-star ratings from ESMA and A-grade ratings from SASO for its products.

























ADDITIONAL PRODUCT REFERENCE CODES

FOR BASIN/ BIDET/ SINK MIXERS		
RAKXXXXX	3/8" HOSE CONNECTION - FLOW RATE 15 ≤ LTR/MIN	
RAKXXXXX-01	1/2" HOSE CONNECTION - FLOW RATE 6 LTR/MIN	
RAKXXXXX-03	1/2" HOSE CONNECTION - FLOW RATE 15 ≤ LTR/MIN	
RAKXXXXX-04	3/8" HOSE CONNECTION - FLOW RATE 6 LTR/MIN	
RAKXXXXX-31	1/2" HOSE CONNECTION - FLOW RATE 1.9 LTR/MIN	
RAKXXXXX-32	1/2" HOSE CONNECTION - FLOW RATE 3 LTR/MIN	
RAKXXXXX-09	1/2" HOSE CONNECTION - FLOW RATE 3.8 LTR/MIN	
RAKXXXXX-33	1/2" HOSE CONNECTION - FLOW RATE 5 LTR/MIN	
RAKXXXXX-37	1/2" HOSE CONNECTION - FLOW RATE 0.6 LTR/MIN	
FOR SHOWER MIXERS HAND SHOWER & OVERHEAD SHOWER		
RAKXXXXX	FLOW RATE 15 ≥ LTR/MIN	
RAKXXXXX-21	FLOW RATE 9 LTR/MIN	
RAKXXXXX-22	FLOW RATE 7 LTR/MIN	

FOR RATIL MIVER		
FOR BATH MIXER		
RAKXXXXX	FLOW RATE 22 ≥ LTR/MIN	
RAKXXXXX-86	FLOW RATE 9 LTR/MIN	
RAKXXXXX-87	FLOW RATE 8 LTR/MIN	
RAKXXXXX-88	FLOW RATE 6 LTR/MIN	
COUNTRY CODES		
RAKXXXXXEG	EGYPTIAN STANDARD	
RAKXXXXXAD	ADQCC STANDARD	
RAKXXXXXSA	SASO STANDARD	
AVAILABLE FINISHES		
RAKXXXXX.GD1	GLOSSY GOLD PVD	®
RAKXXXXX.RG1	GLOSSY BRONZE PVD	©
RAKXXXXX.BK1	GLOSSY GUN METAL PVD	•

CARE INSTRUCTIONS

Congratulations on choosing the best bathroom fittings for your needs!

In order to ensure the long life of your Kludi RAK products, please follow the enlisted care and cleaning instructions.


- Clean the surface to prevent accumulation of dirt and lime scale
- For daily cleaning use neutral cleaners and water
- For removing strong lime scale use cleaners with citric acid base
- Use cleaning agents specially developed for fittings
- Cleaning sprays should first be sprayed on a soft cloth and then the cloth should be used to clean the fittings. Do not spray them directly on the surface of the fitting.
- · The amount of cleaning agent used should be just sufficient to remove the dirt and lime scale. Do not use excessive quantities. Also, do not let the cleaning agent stay on the surface for longer time than
- · After using the cleaning agent, rinse the fitting with sufficient water to remove it and then polish with a soft cloth.

The chrome plating on the surface of the fitting is a result of a lot of chemical reactions. Strong cleaners and bleach can alter the effects of these reactions and cause significant damage to the surface and void the warranty. In any case do not use any of the following to clean the fittings:

- Abrasive cleaning materials, pads, scourers etc.
- · Cleaning agents with volatile acids like hydrochloric or acetic acid
- Scouring powders or abrasive cleaning fluids
- Cleaning agents containing bleach such as Clorox.

Cleaning the fittings after each use helps retain their value!

KLUDI RAK



Post Box : 6679, Ras Al Khaimah, United Arab Emirates, Tel : +971 7 204 8111 , Fax : +971 7 244 7759

